

Safety Data Sheet according to WHMIS 2015



1 Identification

Product Name: Classic 1
Manufacturer: The Sansin Corporation
111 MacNab Ave
Strathroy, ON, Canada N7G 4J6
Tel: 1-519-245-2001
Emergency: In Canada call CANUTEC 613-996-6666
Emergency: In USA call CHEMTREC: 800-424-9300 outside USA
703-527-3887
Product Use: Exterior finish for wood and wood composites

2 Hazard (s) Identification

Health Hazards:

Eye irritation Category 2A
Ingestion Category 3
Skin irritation Category 3

Hazard Pictogram(s):



Hazard Statements: Warning

Hazard Statements:

Physical Hazards: None

Health Hazards:

- Causes eye irritation
- Causes mild skin irritation
- May cause drowsiness or dizziness

Precautionary Statements:

- Prevention: - Wear protective gloves, clothing and eye protection.
- Wash affected areas thoroughly after handling.
Response: - If in Eyes: Flush eyes immediately with large amounts of clean water. If irritation persists, seek medical attention.
- If Swallowed: Rinse mouth. Drink large amounts of water. Do not induce vomiting (aspiration hazard). Seek immediate medical help.
- If on Skin: Wash with plenty of soap and water. Remove contaminated clothing. If irritation persists, seek medical attention.
Storage: - Keep container tightly closed. Store above 5°C [41°F], as product can be damaged by freezing, and below 35°C [95°F].
Disposal: - Dispose of contents/container in accordance with local, regional and federal regulations.

NFPA/WHMIS Ratings (Scale 0-4):

0 = Minimal Hazard

4 = Severe Hazard

HEALTH=1 FIRE=0 REACTIVITY=0 PHYSICAL HAZARDS: N/A

Protective Equipment: Wear protective gloves and eye protection

3 Composition/Information on Ingredients

<u>Name of Hazardous Ingredients:</u>	<u>CAS#:</u>	<u>% by Weight</u>
3-Iodo-2-propynyl butylcarbamate	55406-53-6	0.1-1.0
2-butoxyethanol	111-76-2	0.5-1.5
Ammonium Hydroxide	1336-21-6	0.1-1.0

4 First Aid Measures

Description of necessary first aid measures:

Eye contact: - Immediately flush eyes with plenty of water for several minutes. Remove contact lenses if present. Continue to rinse for at least 20 minutes. Get medical attention.

Inhalation: - Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention.

Skin Contact: - Immediately remove all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Wash clothing before reuse. Get medical attention.

Ingestion: - Rinse mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

Most important symptoms/effects, acute and delayed:

Potential acute health effects:

Eye contact: No known significant effects or critical hazards

Inhalation: No known significant effects or critical hazards

Skin contact: No known significant effects or critical hazards

Ingestion: No known significant effects or critical hazards

Over-exposure signs/symptoms:

Eye contact: No known significant effects or critical hazards

Inhalation: No known significant effects or critical hazards

Skin contact: No known significant effects or critical hazards

Ingestion: No known significant effects or critical hazards

Over-exposure signs/symptoms:

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

5 Fire-fighting Measures

Extinguishing media:

Suitable extinguishing media: In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical: This material is toxic to aquatic life. Water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products: No specific data.

Special protective actions for fire-fighters: No special measures are required.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: No action shall be taken involving personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in section 8 on suitable and unsuitable materials. See also information in "For non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). May be harmful to the environment if released in large quantities. Collect spillage.

Methods and materials for containment and cleaning up:

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up. Alternatively, absorb with an inert dry

material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in a container for disposal according to local regulations (see Section 13).

7 Handling and Storage

Precautions for Safe Handling:

Protective measures: Put on appropriate personal protective equipment (see Section 8). Do not handle until all safety precautions have been read and understood. Do not get in eyes, skin or clothing. Do not ingest and avoid breathing vapour or mist. Keep in the original container or an approved alternative made from compatible material, kept tightly closed when not in use. Empty containers retain residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage including any incompatibilities: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep containers tightly closed resealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8 Exposure Controls/Personal Protection

Control Parameters:

Occupational exposure limits:

Ingredient name:	Exposure limits:
3-Iodo-2-propynyl butylcarbamate	No data available.
2-butoxyethanol	TWA 20ppm ACGIH
Ammonium Hydroxide	50ppm (PEL) OSHA

Appropriate engineering controls: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep workers exposures to airborne contaminants below any recommended statutory limits.

Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual Protection Measures:

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side shields.

Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk indicates this is necessary. Personal protective equipment for the body and appropriate footwear should be selected based on the task being performed and should be approved by a specialist before handling this product.

Respiratory protection: Use a properly fitted, NIOSH approved respirator or an air-purifying or supplied air respirator with an approved standard if a risk assessment indicates this is necessary.

9 Physical and Chemical Properties

Physical state: Liquid.
Colour: Semi-Opaque Light Brown.
Odour: Slight amine smell.
Odour threshold: Not available.
pH: 8.5 – 9.5
Melting point: Not available.
Boiling point: >100°C (or 212°F)
Flash point: Not available.
Evaporation rate: Not available.
Flammability (solid, gas): Not available.
Lower explosive limit: Not available.
Upper explosive limit: Not available.
Vapour pressure: Not available.
Vapour density: Not available.
Relative density: 1.00 – 1.01
Solubility: Soluble in water.
Partition coefficient – n-octanol/water: Not available.
Auto-ignition temperature: Not available.
Decomposition temperature: Not available.
Viscosity: 18- 20 seconds (Zahn #2 cup) @ 21°C

10 Stability and Reactivity

Reactivity: Not available.
Chemical stability: This product is stable.
Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid: Protect from freezing
Incompatible Materials: Reactive or incompatible with the following materials: Oxidizing materials.
Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological Information

Acute toxicity:

Product/ingredient name:

3-Iodo-2-propynyl butylcarbamate

Result: LD50 Oral

Species: Rat - Female

Dose: 3129 mg/kg

Product/ingredient name:

2-butoxyethanol

Result: LD50 Oral

Species: Rat

Dose: 1,300 mg/kg

Product/ingredient name:

Ammonium Hydroxide

Result: LD50 Oral

Species: Rat

Dose: 350 mg/kg

For: 3-Iodo-2-propynyl butylcarbamate, 2-butoxyethanol & Ammonium Hydroxide.

Irritation/Corrosion: There is no data available.

Sensitization: There is no data available.

Carcinogenicity: There is no data available.

Specific target organ toxicity (single exposure): There is no data available.

Aspiration Hazard: There is no data available.

Product/Ingredient Name:

There is not data available.

Information on the likely routes of entry: Dermal contact. Eye contact. Ingestion.

Potential acute health effects:

Eye Contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Skin Contact: No known significant effects or critical hazards.
Inhalation: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics:

Eye Contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Skin Contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure:

Short term exposure:

Potential immediate effects: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Long term exposure:

Potential immediate effects: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects:

General: No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental Effects: No known significant effects or critical hazards.

Fertility Effects: No known significant effects or critical hazards.

Numerical measures of toxicity – Acute toxicity measurements: No available data.

12 Ecological information

Toxicity:

Product/Ingredient name: 3-Iodo-2-propynyl butylcarbamate

Result: EC50: 0.05 mg/L

Species: Daphnia magna [Water Flea]

Exposure: 21 days

Result: EC50: 0.022 mg/L

Species: Scenedesmus subspicatus [Algae]

Exposure: 72 hours

Result: LC50: 0.067 mg/L

Species: Rainbow Trout [Fish]

Exposure: 96 hours

Product/Ingredient name: 2-butoxyethanol

Result: EC50: 1,550 mg/L

Species: Daphnia magna [Water Flea]

Exposure: 48 h

Result: NOEC: 100 mg/L

Species: Daphnia magna [Water Flea]

Exposure: 21 d

Result: EC50: 1,840 mg/L

Species: Scenedesmus subspicatus [Algae]

Exposure: 72 hours

Result: LC50: 1,474 mg/L

Species: Rainbow Trout [Fish]

Exposure: 96 hours

Product/Ingredient name: Ammonium Hydroxide

Result: EC50: 0.66 mg/L

Species: Daphnia magna [Water Flea]

Exposure: 48 hours

Result: LC50: 0.024 mg/L

Species: Bluegill

Exposure: 48 hours

Result: LC50: 0.008 mg/L

Species: Rainbow Trout [Fish]

Exposure: 24 hours

For: 3-Iodo-2-propynyl butylcarbamate, 2-butoxyethanol & Ammonium Hydroxide.

Persistence and degradability: There is no data available.

Bioaccumulative potential:

Result: There is no data available.

Mobility in soil:

Soil/water partition coefficient (Koc): There is no data available.

Other adverse effects: There is no data available.

13 Disposal Considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product must be done in accordance with all federal and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14 Transport information

	DOT Classification	IMDG	IATA
UN No.	Not Regulated	Not Regulated	Not Regulated
UN Proper Shipping Name	-	-	-
Transport Hazard Class	-	-	-
Packing Group	-	-	-
Environmental Hazards	No	No	No
Additional Info.	-	-	-

AERG: Not applicable.

Special precautions for user: Not applicable.

15 Regulatory information

CEPA Status: All components of this product are listed on the Domestic Substance List (DSL).

TSCA Inventory Status: All components of this product are listed on TSCA.

EINECS: All ingredients appear on the EINECS inventory or are exempt.

California Prop.65:

This product does not contain any Proposition 65 chemicals.

NFPA Hazard codes:

Health: 1 Fire: 0 Reactivity: 0 Special: N/A

16 Other information

SDS Prepared by: The Sansin Corporation R&D Dept.

Date Prepared [mm/dd/yy]: 05/18/2017

The information contained in this document is given without any warranty or representation. To the best of our knowledge, the information contained herein is accurate. Neither the above named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Safety Data Sheet according to WHMIS 2015



1 Identification

Product Name: Classic 2 & 3
Manufacturer: The Sansin Corporation
111 MacNab Ave
Strathroy, ON, Canada N7G 4J6
Tel: 1-519-245-2001
Emergency: In Canada call CANUTEC 613-996-6666
Emergency: In USA call CHEMTREC: 800-424-9300 outside USA
703-527-3887
Product Use: Exterior finish for wood and wood composites

2 Hazard (s) Identification

Health Hazards:

Eye irritation	Category 2A
Ingestion	Category 3
Skin irritation	Category 3

Hazard Pictogram(s):



Hazard Statements: Warning

Hazard Statements:

Physical Hazards: None

Health Hazards:

- Causes eye irritation
- Causes mild skin irritation
- May cause drowsiness or dizziness

Precautionary Statements:

- Prevention:** - Wear protective gloves, clothing and eye protection.
- Wash affected areas thoroughly after handling.
Response: - If in Eyes: Flush eyes immediately with large amounts of clean water. If irritation persists, seek medical attention.
- If Swallowed: Rinse mouth. Drink large amounts of water. Do not induce vomiting (aspiration hazard). Seek immediate medical help.
- If on Skin: Wash with plenty of soap and water. Remove contaminated clothing. If irritation persists, seek medical attention.
Storage: - Keep container tightly closed. Store above 5°C [41°F], as product can be damaged by freezing, and below 35°C [95°F].
Disposal: - Dispose of contents/container in accordance with local, regional and federal regulations.

NFPA/HMIS Ratings (Scale 0-4):

0 = Minimal Hazard

4 = Severe Hazard

HEALTH=1 FIRE=0 REACTIVITY=0 PHYSICAL HAZARDS: N/A

Protective Equipment: Wear protective gloves and eye protection

3 Composition/Information on Ingredients

Name of Hazardous Ingredients:	CAS#:	% by Weight
3-Iodo-2-propynyl butylcarbamate	55406-53-6	0.1-1.0
2-butoxyethanol	111-76-2	1.0-5.0
Ammonium Hydroxide	1336-21-6	0.1-1.0

4 First Aid Measures

Description of necessary first aid measures:

Eye contact: - Immediately flush eyes with plenty of water for several minutes. Remove contact lenses if present. Continue to rinse for at least 20 minutes. Get medical attention.

Inhalation: - Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention.

Skin Contact: - Immediately remove all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Wash clothing before reuse. Get medical attention.

Ingestion: - Rinse mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

Most important symptoms/effects, acute and delayed:

Potential acute health effects:

Eye contact: No known significant effects or critical hazards

Inhalation: No known significant effects or critical hazards

Skin contact: No known significant effects or critical hazards

Ingestion: No known significant effects or critical hazards

Over-exposure signs/symptoms:

Eye contact: No known significant effects or critical hazards

Inhalation: No known significant effects or critical hazards

Skin contact: No known significant effects or critical hazards

Ingestion: No known significant effects or critical hazards

Over-exposure signs/symptoms:

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

5 Fire-fighting Measures

Extinguishing media:

Suitable extinguishing media: In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical: This material is toxic to aquatic life. Water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products: No specific data.

Special protective actions for fire-fighters: No special measures are required.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: No action shall be taken involving personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in section 8 on suitable and unsuitable materials. See also information in "For non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). May be harmful to the environment if released in large quantities. Collect spillage.

Methods and materials for containment and cleaning up:

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up. Alternatively, absorb with an inert dry

material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in a container for disposal according to local regulations (see Section 13).

7 Handling and Storage

Precautions for Safe Handling:

Protective measures: Put on appropriate personal protective equipment (see Section 8). Do not handle until all safety precautions have been read and understood. Do not get in eyes, skin or clothing. Do not ingest and avoid breathing vapour or mist. Keep in the original container or an approved alternative made from compatible material, kept tightly closed when not in use. Empty containers retain residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage including any incompatibilities: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep containers tightly closed resealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8 Exposure Controls/Personal Protection

Control Parameters:

Occupational exposure limits:

Ingredient name:	Exposure limits:
3-Iodo-2-propynyl butylcarbamate	No data available.
2-butoxyethanol	TWA 20ppm ACGIH
Ammonium Hydroxide	50ppm (PEL) OSHA

Appropriate engineering controls: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep workers exposures to airborne contaminants below any recommended statutory limits.

Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual Protection Measures:

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side shields.

Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk indicates this is necessary. Personal protective equipment for the body and appropriate footwear should be selected based on the task being performed and should be approved by a specialist before handling this product.

Respiratory protection: Use a properly fitted, NIOSH approved respirator or an air-purifying or supplied air respirator with an approved standard if a risk assessment indicates this is necessary.

9 Physical and Chemical Properties

Physical state: Liquid.
Colour: Semi-Opaque Light Brown.
Odour: Slight amine smell.
Odour threshold: Not available.
pH: 8.5 – 9.5
Melting point: Not available.
Boiling point: >100°C (or 212°F)
Flash point: Not available.
Evaporation rate: Not available.
Flammability (solid, gas): Not available.
Lower explosive limit: Not available.
Upper explosive limit: Not available.
Vapour pressure: Not available.
Vapour density: Not available.
Relative density: 1.00 – 1.01
Solubility: Soluble in water.
Partition coefficient – n-octanol/water: Not available.
Auto-ignition temperature: Not available.
Decomposition temperature: Not available.
Viscosity: 18- 20 seconds (Zahn #2 cup) @ 21°C

10 Stability and Reactivity

Reactivity: Not available.
Chemical stability: This product is stable.
Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid: Protect from freezing
Incompatible Materials: Reactive or incompatible with the following materials: Oxidizing materials.
Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological Information

Acute toxicity:

Product/ingredient name:
3-Iodo-2-propynyl butylcarbamate
Result: LD50 Oral
Species: Rat - Female
Dose: 3129 mg/kg

Product/ingredient name:
2-butoxyethanol
Result: LD50 Oral
Species: Rat
Dose: 1,300 mg/kg

Product/ingredient name:
Ammonium Hydroxide
Result: LD50 Oral
Species: Rat
Dose: 350 mg/kg

For: 3-Iodo-2-propynyl butylcarbamate, 2-butoxyethanol & Ammonium Hydroxide.

Irritation/Corrosion: There is no data available.

Sensitization: There is no data available.

Carcinogenicity: There is no data available.

Specific target organ toxicity (single exposure): There is no data available.

Aspiration Hazard: There is no data available.

Product/Ingredient Name:

There is not data available.

Information on the likely routes of entry: Dermal contact. Eye contact. Ingestion.

Potential acute health effects:

Eye Contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Skin Contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics:

Eye Contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Skin Contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure:

Short term exposure:

Potential immediate effects: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Long term exposure:

Potential immediate effects: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects:

General: No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental Effects: No known significant effects or critical hazards.

Fertility Effects: No known significant effects or critical hazards.

Numerical measures of toxicity – Acute toxicity measurements: No available data.

12 Ecological information

Toxicity:

Product/Ingredient name: 3-Iodo-2-propynyl butylcarbamate

Result: EC50: 0.05 mg/L

Species: Daphnia magna [Water Flea]

Exposure: 21 days

Result: EC50: 0.022 mg/L

Species: Scenedesmus subspicatus [Algae]

Exposure: 72 hours

Result: LC50: 0.067 mg/L

Species: Rainbow Trout [Fish]

Exposure: 96 hours

Product/Ingredient name: 2-butoxyethanol

Result: EC50: 1,550 mg/L

Species: Daphnia magna [Water Flea]

Exposure: 48 h

Result: NOEC: 100 mg/L

Species: Daphnia magna [Water Flea]

Exposure: 21 d

Result: EC50: 1,840 mg/L

Species: Scenedesmus subspicatus [Algae]

Exposure: 72 hours

Result: LC50: 1,474 mg/L

Species: Rainbow Trout [Fish]

Exposure: 96 hours

Product/Ingredient name: Ammonium Hydroxide

Result: EC50: 0.66 mg/L

Species: Daphnia magna [Water Flea]

Exposure: 48 hours

Result: LC50: 0.024 mg/L

Species: Bluegill

Exposure: 48 hours

Result: LC50: 0.008 mg/L

Species: Rainbow Trout [Fish]

Exposure: 24 hours

For: 3-Iodo-2-propynyl butylcarbamate, 2-butoxyethanol & Ammonium Hydroxide.

Persistence and degradability: There is no data available.

Bioaccumulative potential:

Result: There is no data available.

Mobility in soil:

Soil/water partition coefficient (Koc): There is no data available.

Other adverse effects: There is no data available.

13 Disposal Considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product must be done in accordance with all federal and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14 Transport information

	DOT Classification	IMDG	IATA
UN No.	Not Regulated	Not Regulated	Not Regulated
UN Proper Shipping Name	-	-	-
Transport Hazard Class	-	-	-
Packing Group	-	-	-
Environmental Hazards	No	No	No
Additional Info.	-	-	-

AERG: Not applicable.

Special precautions for user: Not applicable.

15 Regulatory information

CEPA Status: All components of this product are listed on the Domestic Substance List (DSL).

TSCA Inventory Status: All components of this product are listed on TSCA.

EINECS: All ingredients appear on the EINECS inventory or are exempt.

California Prop.65:

This product does not contain any Proposition 65 chemicals.

NFPA Hazard codes:

Health: 1 Fire: 0 Reactivity: 0 Special: N/A

16 Other information

SDS Prepared by: The Sansin Corporation R&D Dept.

Date Prepared [mm/dd/yy]: 06/8/2017

The information contained in this document is given without any warranty or representation. To the best of our knowledge, the information contained herein is accurate. Neither the above named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

THE SANSIN CORPORATION

MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT IDENTIFICATION AND USE

PRODUCT IDENTIFIER SANSIN CLASSIC TOPCOAT			PRODUCT IDENTIFICATION NUMBER (PIN) N/AP	
PRODUCT USE WOOD PROTECTION				
MANUFACTURER'S NAME THE SANSIN CORPORATION.			SUPPLIERS NAME	
STREET ADDRESS 111 MACNAB AVENUE			STREET ADDRESS	
CITY STRATHROY		PROVINCE ON	CITY	PROVINCE
POSTAL CODE N7G 4J6		EMERGENCY TELEPHONE.NO: CANUTEC 613-996-6666	POSTAL CODE	EMERGENCY TELEPHONE #: US/NORTH AMERICA: 800-424-9300 OUTSIDE THE US: 703-527-3887

SECTION 2: HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	%	CAS NUMBER	LD50 OF INGREDIENT (SPECIFY SPECIES AND ROUTE)	LC50 OF INGREDIENT (SPECIFY SPECIES)
2 BUTOXY ETHANOL	0.2-0.8	111-76-2	1400MG/KG ORAL/RAT	450 PPM
3-IODO-2 PROPYNYL BUTYL CARBAMATE	0.1 – 0.3	55406-53-6	2140MG/KG, ORAL RAT 2000 MG/KG DERMAL RABBIT	290 MG/M ³ 4HR, RAT
2 AMINO-2 METHYL-PROPANOL	0.1	124-68-5	N / AV	N / AV
AMONIUM HYDROXIDE	.005	1336-21-6	350 MG/KG ORAL/RAT	4837 PPM/ 1HR MOUSE

SECTION 3: PHYSICAL DATA

PHYSICAL STATE LIQUID	ODOUR AND APPEARANCE SLIGHT AMMONIUM – AMBER			ODOUR TRESHOLD PPM N/AV
VAPOUR PRESSURE (MM HG) N/AV	VAPOUR DENSITY (AIR=1) N/AV	EVAPORATION RATE N/AV	BOILING POINT 100°C.	FREEZING POINT - 1° C
PH N/AP	SPECIFIC GRAVITY 0.98	COEFF. WATER/OIL DIST. 100% SOLUBLE IN WATER		

SECTION 4: FIRE AND EXPLOSION DATA

FLAMMABILITY YES (NO v IF YES, UNDER WHICH CONDITIONS			
MEANS OF EXTINCTION: N/AP			
FLASHPOINT (°C) AND METHOD NONE	UPPER FLAMMABLE LIMIT (% BY VOLUME) N/AP	LOWER FLAMMABLE LIMIT (% BY VOLUME) :N/AP	
AUTOIGNITION TEMPERATURE (°C) NONE	HAZARDOUS COMBUSTION PRODUCTS NONE		
EXPLOSION DATA	SENSITIVITY TO IMPACT NONE	SENTIVITY TO STATIC DISCHARGE NONE	

SECTION 5: REACTIVITY DATA

CHEMICAL STABILITY YES v NO □ IF NO, UNDER WHICH CONDITIONS	
INCOMPATIBILITY WITH OTHER SUBSTANCES : STRONG OXIDIZING AGENTS INSOLUBLE IN OIL AND OIL BASED YES □ NO □ IF SO WHICH ONES: PRODUCTS	
REACTIVITY, AND UNDER WHAT CONDITIONS NONE	
HAZARDOUS DECOMPOSITION PRODUCTS NONE	

PRODUCT IDENTIFIER : SANSIN CLASSIC TOPCOAT

SECTION 6: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY: SKIN CONTACT <input checked="" type="checkbox"/> SKIN ABSORPTION <input type="checkbox"/> EYE CONTACT <input checked="" type="checkbox"/> INHALATION <input checked="" type="checkbox"/> INGESTION <input checked="" type="checkbox"/>			
EFFECTS OF ACUTE EXPOSURE TO PRODUCT: MAY CAUSE IRRITATION TO EYES AND SKIN			
EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: MAY CAUSE MODERATE IRRITATION & DERMATITIS			
EXPOSURE LIMITS N/AV	IRRITANCY OF PRODUCT SKIN: IRRITATION EYES: IRRITATION REDNESS, BLURRED VISION	SENSITIZATION TO PRODUCT NONE KNOWN	CARCINOGENICITY NONE KNOWN
TERATOGENICITY NONE KNOWN	REPRODUCTIVE TOXICITY NONE KNOWN	MUTAGENICITY NONE KNOWN	SYNERGISTIC PRODUCTS NONE KNOWN

SECTION 7: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT:		
GLOVES(SPECIFY) RUBBER, PVC	RESPIRATOR(SPECIFY) IF SPRAYING: NIOSH / MSHA APPROVED	EYE(SPECIFY) GOGGLES
FOOTWEAR(SPECIFY) RUBBER, PVC	CLOTHING(SPECIFY) RUBBER APRON	OTHER(SPECIFY)
ENGINEERING CONTROLS(SPECIFY,EG.VENTILATION, ENCLOSED PROCESS) : LOCAL EXHAUST VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.'S		
LEAK AND SPILL PROCEDURE : CONTAIN SPREAD, SOAK UP WITH INERT ABSORBENT		
WASTE DISPOSAL : DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL & FEDERAL REGULATIONS		
HANDLING PROCEDURES AND EQUIPMENT : NO SPECIAL EQUIPMENT NEEDED		
STORAGE REQUIREMENTS : CLOSE CONTAINERS, DO NOT ALLOW TO FREEZE		
SPECIAL SHIPPING INFORMATION : N/AP		

SECTION 8: FIRST AID MEASURES

SKIN : WASH WITH SOAP AND WATER, LAUNDRY CONTAMINATED CLOTHING BEFORE RE-USE.
EYES : FLUSH WITH WATER FOR AT LEAST 20 MINUTES, LIFT UPPER AND LOWER LIDS
INHALATION: REMOVE TO FRESH AIR, IF BREATHING IS DIFFICULT ADMINISTER OXYGEN. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. KEEP WARM AND AT REST.
INGESTION: DO NOT INDUCE VOMITING. KEEP WARM AND AT REST.
IN ALL CASES GET IMMEDIATE MEDICAL ATTENTION

SECTION 9: PREPARATION DATE OF MSDS

PREPARED BY :TECHNICAL DEPARTMENT	PHONE NUMBER (519) 245-4623	DATE JANUARY 2016
-----------------------------------	--------------------------------	----------------------

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of The Sansin Corporation's knowledge or is obtained from sources believed by The Sansin Corporation to be accurate. The Sansin Corporation does not assume any legal responsibility for use or reliance on same. Customers are encouraged to conduct their own tests. Before using any products, read its label.