Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Revision Date: 02/06/2015
Date of issue: 01/16/2015

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: ABR Waterless Fireplace Cleaner

1.2. Intended Use of the Product

AP Cleaner

1.3. Name, Address, and Telephone of the Responsible Party Company

American Building Restoration Products, Inc. 9720 South 60th Street Franklin, WI 53132 T 800-346-7532

1.4. Emergency Telephone Number

Chemtrec 1-800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Not classified

2.2. Label Elements

GHS-US Labeling

Signal Word (GHS-US) Danger

Hazard Statements (GHS-US)

H302 - Harmful if swallowed.

2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

38.67 - 43.13 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixture

| Name | Product Identifier | % (w/w) | Classification (GHS-US) |
|---------------------------------------|--------------------|-----------------|---|
| Water | (CAS No) 7732-18-5 | 39.26 - 43.71 | Not classified |
| 1,3-Butadiene, 2-methyl-, homopolymer | (CAS No) 9003-31-0 | 38.67 - 43.13 | Not classified |
| Kaolin | (CAS No) 1332-58-7 | 17.55 | Not classified |
| Tetrasodium EDTA | (CAS No) 64-02-8 | 0.3719 - 0.8924 | Comb. Dust, H232 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Aquatic Acute 2, H401 |
| Potassium hydroxide | (CAS No) 1310-58-3 | 0.0744 - 0.3719 | Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 |

Full text of H-phrases: see section 16

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Revision Date: 02/06/2015

Date of issue: 01/16/2015

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible). **Inhalation**: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Overexposure may be irritating to the respiratory system.

Skin Contact: Contact during a long period may cause slight irritation.

Eye Contact: Direct contact with the eyes is likely irritating.

Ingestion: Ingestion is likely to be harmful or have adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Nitrous gases may be produced under fire conditions.

Reference to Other Sections

Refer to section 9 for flammability properties. SECTION 6:

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Do not breathe vapor, mist, dust, or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 02/06/2015 Date of issue: 01/16/2015

Protective Equipment: Equip cleanup crew with proper protection. **Emergency Procedures:** Stop leak if safe to do so. Ventilate area.

6.2. Environmental Precautions: Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal.

6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Any proposed use of this product in elevated-temperature processes should be thoroughly evaluated to assure that safe operating conditions are established and maintained.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

AP Cleaner.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

| Kaolin (1332-58-7) | | |
|--------------------|-------------------------------------|--|
| Mexico | OEL TWA (mg/m ⁵) | 10 mg/m ⁵ |
| Mexico | OEL STEL (mg/m³) | 20 mg/m ⁵ |
| USA ACGIH | ACGIH TWA (mg/m ⁵) | 2 mg/m ⁵ (particulate matter containing no asbestos and |
| | | <1% crystalline silica, respirable fraction) |
| USA OSHA | OSHA PEL (TWA) (mg/m ⁵) | 15 mg/m ⁵ (total dust) |
| | | 5 mg/m ³ (respirable fraction) |
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 10 mg/m ⁵ (total dust) |
| | | 5 mg/m³ (respirable dust) |
| Alberta | OEL TWA (mg/m³) | 2 mg/m³ (respirable) |
| British Columbia | OEL TWA (mg/m³) | 2 mg/m³ (particulate matter containing no Asbestos and <1% Crystalline silica-respirable particulate) |

ABR Waterless Fireplace Cleaner
Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Revision Date: 02/06/2015 Date of issue: 01/16/2015

| OEL TWA (mg/m ⁵) OEL TWA (mg/m ⁵) OEL TWA (mg/m ⁵) | 2 mg/m³ (particulate matter containing no Asbestos and <1% Crystalline silica-respirable fraction) 2 mg/m³ (particulate matter containing no Asbestos and | |
|--|--|--|
| | 2 mg/m³ (particulate matter containing no Asbestos and | |
| OEL TWA (mg/m²) | <1% Crystalline silica, respirable fraction) | |
| OEL I WA (mg/m-) | 2 mg/m³ (particulate matter containing no Asbestos and <1% Crystalline silica-respirable fraction) | |
| OEL TWA (mg/m ⁵) | 2 mg/m³ (particulate matter containing no Asbestos and <1% Crystalline silica-respirable fraction) | |
| OEL TWA (mg/m ⁵) | 5 mg/m³ (respirable mass) | |
| OEL TWA (mg/m ⁵) | 5 mg/m³ (respirable mass) | |
| OEL TWA (mg/m³) | 2 mg/m ³ (containing no Asbestos and <1% Crystalline silica-respirable) | |
| OEL TWA (mg/m ⁵) | 2 mg/m³ (particulate matter containing no Asbestos and <1% Crystalline silica-respirable fraction) | |
| VEMP (mg/m ⁵) | 5 mg/m ³ (containing no Asbestos and <1% Crystalline silica-respirable dust) | |
| OEL STEL (mg/m ⁵) | 4 mg/m³ (respirable fraction) | |
| OEL TWA (mg/m ⁵) | 2 mg/m³ (respirable fraction) | |
| OEL STEL (mg/m³) | 20 mg/m ⁵ | |
| OEL TWA (mg/m³) | 30 mppcf | |
| 8-3) | | |
| - | 2 mg/m ⁵ | |
| | 2 mg/m³ | |
| | 2 mg/m³ | |
| OEL Ceiling (mg/m ⁵) | 2 mg/m³ | |
| OEL Ceiling (mg/m³) | 2 mg/m ⁵ | |
| OEL Ceiling (mg/m³) | 2 mg/m ⁵ | |
| OEL Ceiling (mg/m ⁵) | 2 mg/m ⁵ | |
| OEL Ceiling (mg/m³) | 2 mg/m ⁵ | |
| OEL Ceiling (mg/m³) | 2 mg/m ⁵ | |
| OEL Ceiling (mg/m³) | 2 mg/m ⁵ | |
| OEL Ceiling (mg/m³) | 2 mg/m ⁵ | |
| OEL Ceiling (mg/m³) | 2 mg/m ³ | |
| PLAFOND (mg/m³) | 2 mg/m ³ | |
| OEL Ceiling (mg/m³) | 2 mg/m ⁵ | |
| OEL Ceiling (mg/m³) | 2 mg/m ⁵ | |
| | | |
| OEL TWA (mg/m³) | 5 mg/m³ (fume) 10 mg/m³ (dust) | |
| OEL STEL (mg/m³) | 10 mg/m³ (fume) | |
| | 2 mg/m³ (respirable fraction) | |
| | 10 mg/m³ (respirable fraction) | |
| , ,, | 5 mg/m³ (fume) | |
| OSTATEE (TWA) (IIIB/III) | 15 mg/m³ (total dust) | |
| | 5 mg/m³ (respirable fraction) | |
| | OEL TWA (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³) VEMP (mg/m³) OEL STEL (mg/m³) OEL STEL (mg/m³) OEL STEL (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³) 8-3) ACGIH Ceiling (mg/m³) NIOSH REL (ceiling) (mg/m³) OEL Ceiling (mg/m³) | |

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Revision Date: 02/06/2015
Date of issue: 01/16/2015
Version: 1.0

| | | · |
|-------------------------|--------------------------------------|---|
| USA NIOSH | NIOSH REL (TWA) (mg/m ⁵) | 5 mg/m³ (dust and fume) |
| USA NIOSH | NIOSH REL (STEL) (mg/m³) | 10 mg/m³ (fume) |
| USA NIOSH | NIOSH REL (ceiling) (mg/m³) | 15 mg/m³ (dust) |
| USA IDLH | US IDLH (mg/m³) | 500 mg/m ³ |
| Alberta | OEL STEL (mg/m³) | 10 mg/m³ (respirable) |
| Alberta | OEL TWA (mg/m³) | 2 mg/m³ (respirable) |
| British Columbia | OEL STEL (mg/m³) | 10 mg/m³ (respirable) |
| British Columbia | OEL TWA (mg/m³) | 2 mg/m³ (respirable) |
| Manitoba | OEL STEL (mg/m ⁵) | 10 mg/m³ (respirable fraction) |
| Manitoba | OEL TWA (mg/m³) | 2 mg/m³ (respirable fraction) |
| New Brunswick | OEL STEL (mg/m ⁵) | 10 mg/m³ (fume) |
| New Brunswick | OEL TWA (mg/m³) | 10 mg/m ⁵ (particulate matter containing no Asbestos and |
| | | <1% Crystalline silica, dust) |
| Newfoundland & Labrador | OEL STEL (mg/m³) | 10 mg/m ⁵ (respirable fraction) |
| Newfoundland & Labrador | OEL TWA (mg/m ⁵) | 2 mg/m³ (respirable fraction) |
| Nova Scotia | OEL STEL (mg/m ⁵) | 10 mg/m ⁵ (respirable fraction) |
| Nova Scotia | OEL TWA (mg/m ⁵) | 2 mg/m ⁵ (respirable fraction) |
| Nunavut | OEL STEL (mg/m ⁵) | 10 mg/m³ (fume) |
| Nunavut | OEL TWA (mg/m ⁵) | 5 mg/m³ (fume) |
| Northwest Territories | OEL STEL (mg/m³) | 10 mg/m³ (fume) |
| Northwest Territories | OEL TWA (mg/m³) | 5 mg/m³ (fume) |
| Ontario | OEL STEL (mg/m³) | 10 mg/m³ (respirable) |
| Ontario | OEL TWA (mg/m³) | 2 mg/m³ (respirable) |
| Prince Edward Island | OEL STEL (mg/m³) | 10 mg/m³ (respirable fraction) |
| Prince Edward Island | OEL TWA (mg/m³) | 2 mg/m³ (respirable fraction) |
| Québec | VECD (mg/m³) | 10 mg/m³ (fume) |
| | | |

8.2. Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. **Personal Protective Equipment**: Protective goggles. Gloves. Protective clothing.



Materials for Protective Clothing: Not required for normal conditions of use.

Hand Protection: Protective Gloves.

Eye Protection: In case of splash hazard: chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed

established Occupational Exposure Limits.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 02/06/2015 Date of issue: 01/16/2015

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical : Liquid (Paste)

and Chemical Properties Physical

State

Appearance : Not available

Odor : Not available

Odor Threshold : Not available

pH : Not available

Evaporation Rate : Not available

Melting Point : Not available

Freezing Point : Not available

Boiling Point : Not available

Flash Point : Not available

Auto-ignition Temperature : Not available

Decomposition Temperature : Not available

Flammability (solid, gas) : Not available

Lower Flammable Limit : Not available

Upper Flammable Limit : Not available

Vapor Pressure : Not available

Relative Vapor Density at 20 °C : Not available

Relative Density : Not available

Specific Gravity : Not available

Solubility : Not available

Partition Coefficient: N- : Not available

Octanol/Water

Viscosity : Not available

Explosion Data – Sensitivity to : Not expected to present an explosion hazard due

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 02/06/2015 Date of issue: 01/16/2015

Mechanical Impact to mechanical impact

Explosion Data – Sensitivity to : Not expected to present an explosion hazard due

Static Discharge to static discharge

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products: None known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity: Not classified
LD50 and LC50 Data: Not available
Skin Corrosion/Irritation: Not classified
Serious Eye Damage/Irritation: Not classified
Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system. **Symptoms/Injuries After Skin Contact:** Contact during a long period may cause slight irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| Tetrasodium EDTA (64-02-8) | | | |
|----------------------------|---|--|--|
| LC50 Fish 1 | 486 (Exposure time: 96h - Species: Lepomis macrochirus) | | |
| EC50 Daphnia 1 | 625 mg/l (Exposure time: 24 h - Species: Daphnia magna) | | |
| ErC50 (algae) | 3 mg/l (exposure time: 96 h - Species:Green Algae) | | |
| Zinc oxide (1314-13-2) | | | |
| LC50 Fish 1 | 780 μg/l (Exposure time: 96 h - Species: Pimephales promelas) | | |
| EC50 Daphnia 1 | 0.122 mg/l | | |

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Revision Date: 02/06/2015 Date of issue: 01/16/2015 Version: 1.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Tetrasodium EDTA (64-02-8)

LC50 Fish 1 486 (Exposure time: 96h - Species: Lepomis macrochirus)
EC50 Daphnia 1 625 mg/l (Exposure time: 24 h - Species: Daphnia magna)
ErC50 (algae) 3 mg/l (exposure time: 96 h - Species: Green Algae)

Zinc oxide (1314-13-2)

LC50 Fish 1 780 µg/l (Exposure time: 96 h - Species: Pimephales promelas)

EC50 Daphnia 1 0.122 mg/l Acute Toxicity: Not classified

NOEC chronic fish 0.026 mg/l (Species: Jordanella floridae)

12.2. Persistence and Degradability Not available

12.3. Bioaccumulative Potential

Tetrasodium EDTA (64-02-8)

Log Pow 5.01 (calculated)

Potassium hydroxide (1310-58-3) Log Pow 0.65

12.4. Mobility in Soil

Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Sewage Disposal Recommendations: Do not empty into drains. Do not empty into drains; dispose of this material and its container in a safe way.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT Not regulated for transport
14.2. In Accordance with IMDG Not regulated for transport
14.3. In Accordance with IATA Not regulated for transport
14.4. In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

ABR Waterless Fireplace Cleaner

1,3-Butadiene, 2-methyl-, homopolymer (9003-31-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Tetrasodium EDTA (64-02-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 02/06/2015 Date of issue: 01/16/2015

Kaolin (1332-58-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Potassium hydroxide (1310-58-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Zinc oxide (1314-13-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State Regulations

Kaolin (1332-58-7)

U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

Potassium hydroxide (1310-58-3)

U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List

Zinc oxide (1314-13-2)

U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List

15.3. Canadian Regulations

ABR Waterless Fireplace Cleaner

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

1,3-Butadiene, 2-methyl-, homopolymer (9003-31-0)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

Tetrasodium EDTA (64-02-8)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class E - Corrosive Material Class D Division 2 Subdivision B -

Toxic material causing other toxic effects

Kaolin (1332-58-7)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

Potassium hydroxide (1310-58-3)

Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List)

IDL Concentration 1 %

WHMIS Classification Class D Division 1 Subdivision B - Toxic material causing

immediate and serious toxic effects Class E - Corrosive Material

Zinc oxide (1314-13-2)

Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List)

IDL Concentration 1 %

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Revision Date: 02/06/2015
Date of issue: 01/16/2015

SECTION 16: OTHER INFORMATION. INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date: 02/06/2015

Other Information: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard

Version: 1.0

Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 4 (Inhalation:dust,mist) Acute toxicity (inhalation:dust,mist) Category 4

Acute Tox. 4 (Oral) Acute toxicity (oral) Category 4

Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2 Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard Category 1

Comb. Dust Combustible Dust

Eye Dam. 1 Serious eye damage/eye irritation Category 1

Met. Corr. 1 Corrosive to metals Category 1

Skin Corr. 1A Skin corrosion/irritation Category 1A

H232 May form combustible dust concentrations in air

H290 May be corrosive to metals

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H332 Harmful if inhaled

H400 Very toxic to aquatic life

H401 Toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Party Responsible for the Preparation of This Document



American Building Restoration Products, Inc. 9720 South 60th Street Franklin, WI 53132 T 800-346-7532 www.abrp.com abrp@abrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS 2

ABR Waterless Fireplace Cleaner
Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Revision Date: 02/06/2015 Date of issue: 01/16/2015