

Revision Date: 06/06/2015

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product name BUG-JUICE INSECTICIDE PAINT ADDITIVE

Product code 37001, 37005 EPA Registration No. 47332-11

Product Use Insecticide Paint Additive

Walla Walla Environmental, Inc.

4 West Rees Avenue

Walla Walla, WA 99362 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-247-9011 (24hours/day)

For Product Information call: 1-509-522-0490

SECTION 2. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Harmful if inhaled. Do not breathe vapors or spray mist. Contact with

product may result in transient tingling and reddening of the skin. Remove and

wash contaminated clothing before re-use.

Physical State liquid suspension

Odor none

Appearance white

Exposure routes Inhalation, Skin contact, Eye contact, Ingestion

Immediate Effects

Eye May cause eye irritation. Avoid contact with eyes.

Skin Contact with product may result in transient tingling and reddening of the skin.

Avoid contact with skin and clothing.

Ingestion Do not take internally.

Inhalation Harmful if inhaled. Do not breathe vapors or spray mist.

Chronic or Delayed

Long-Term

This product or its components may have target organ effects. This product or its

components may have long term (chronic) health effects.

Potential Environmental

Effect

Extremely toxic to fish and aquatic invertebrates. Highly toxic to bees.



SECTION 3. COMPOSITION/INFORMATION ONINGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Deltamethrin	52918-63-5	4.75
1,2-Propanediol	57-55-6	15.20
Nonylphenol ethoxylate, branched	127087-87-0	2.85

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a

poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately

with plenty of water for at least 15 minutes. Call a physician or poison control

center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give

water in small sips to drink. DO NOT induce vomiting unless directed to do so by

a physician or poison control center. Never give anything by mouth to an

unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or

poison control center immediately.

Notes to physician

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's

condition is recommended. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

Flash point no data available

Auto Ignition temperature no data available

Lower Flammability

Limit

not applicable

Upper Flammability

Limit not applicable

no data available



Safety Data Sheet

BUG-JUICE INSECTICIDE PAINT ADDITIVE

Explosiveness no data available

Suitable extinguishing

media

Carbon dioxide (CO2), Dry chemical, Foam, Water

Fire Fighting Instructions

Evacuate personnel to safe areas. Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow

run-off from firefighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus

and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled

product or contaminated surfaces.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Decontaminate tools and equipment following cleanup. Clean contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or

waste water canal.

SECTION 7. HANDLING AND STORAGE

Handling procedures Avoid contact with skin, eyes and clothing. Handle and open container in a

manner as to prevent spillage. Maintain exposure levels below the exposure limit

through the use of general and local exhaust ventilation.

Keep away from heat and sources of ignition.

Storing Procedures Store in original container. Store in a cool, dry place and in such a manner as to

prevent cross contamination with other crop protection products, fertilizers, food,

and feed. Protect from freezing.

Work/Hygienic Procedures Smoking, eating and drinking should be prohibited in the application area. Wash hands thoroughly with soap and water after handling and before eating, drinking,

chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and

put on clean clothing.



SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Eye wash facility and safety shower should be available. Follow manufacturer's

instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other

laundry.

Follow all label instructions. Train employees in safe use of the product.

Eye/Face Protection Tightly fitting safety goggles

Hand protection Chemical-resistant gloves made of waterproof material such as neoprene, butyl

rubber, barrier laminate or nitrile rubber.

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory protection When respirators are required, select NIOSH approved equipment based on

actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Deltamethrin Silicon dioxide 1,2-Propanediol	52918-63-5 7631-86-9 57-55-6	OES BCS* NIOSH WEEL TX ESL TX ESL TX ESL TX ESL TX ESL TX ESL	TWA REL TWA ST ESL ST ESL AN ESL AN ESL ST ESL	0.02 mg/m3 6 mg/m3 10 mg/m3 50 ug/m3 1000 ug/m3 5 ug/m3 100 ug/m3 500 ppb
		TX ESL	AN ESL	50 ppb
Nonylphenol ethoxylate, branched	127087-87-0	TX ESL	ST ESL	600 ug/m3
•		TX ESL	AN ESL	60 ug/m3

^{*}OES BCS: Internal W2E "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white

Physical State liquid suspension

Odor none

Evaporation rate no data available

Boiling Point no data available



Melting / Freezing Point no data available

Water solubility immiscible

Minimum Ignition Energy no data available

Decomposition temperature

no data available

Partition coefficient: n-

octanol/water

no data available

Viscosity 1,300 - 1,800 cps

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid freezing

Incompatibility Strong oxidizing agents

Strong reducing agents

Hazardous Thermal decomposition can lead to release of:

Decomposition Products Carbon monoxide

Carbon dioxide (CO2)

Hazardous reactions No hazardous reactions when stored and handled according to prescribed

instructions.

Chemical Stability Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity data have been bridged from a similar formulation containing a slightly higher percentage of the active ingredient, deltamethrin. The non-acute information pertains to the technical-grade active ingredient.

Acute oral toxicity rat: LD50: > 15,000 mg/kg

Skin irritation rabbit: Slight irritation

Eye irritation rabbit: Minimally irritating.

Sensitization guinea pig: Non-sensitizing.

Chronic toxicity Deltamethrin caused neurobehavioral effects and/or neuropathological changes

in animal studies. The toxic effects of Deltamethrin are related to transient

hyperactivity typical for pyrethroid neurotoxicity.



Safety Data Sheet

BUG-JUICE INSECTICIDE PAINT ADDITIVE

Assessment Carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

Deltamethrin

52918-63-5 Overall evaluation: 3

OSHA None.

Reproductive toxicity Deltamethrin did not cause reproductive toxicity in a two-generation study in

rats.

Developmental Toxicity Deltamethrin caused developmental toxicity only at doses toxic to the dams.

The developmental effects seen with Deltamethrin are related to maternal

toxicity.

Mutagenicity Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo

tests.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish Oncorhynchus mykiss (rainbow trout)

LC50: 0.00026 mg/l Exposure time: 96 h

Lepomis macrochirus (Bluegill sunfish)

LC50: 0.00017 mg/l Exposure time: 96 h

Acute Toxicity to Aquatic

Invertebrates

Eastern Oyster LC50: 0.0082 mg/l

Exposure time: 96 h

Mysidopsis bahia (mysid shrimp)

LC50: 0.000001 mg/l Exposure time: 96 h

Stability in water Half life: 55 - 65 h

pH: 9.0

Bioaccumulation Lepomis macrochirus (Bluegill sunfish) BCF: 189 - 3,930



Environmental precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product as specified on the label.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal

Guidance

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Triple rinse containers. Add washings to sprayer at time of filling. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14. TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN-Number 3082
Class 9
Packaging group III
Marine pollutant YES

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(DELTAMETHRIN SOLUTION)

IATA

UN-Number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(DELTAMETHRIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

Page 7 of 9



SECTION 15. REGULATORY INFORMATION

EPA Registration No. 47332-11

US Federal Regulations

TSCA list

1,2-Propanediol 57-55-6 Nonylphenol ethoxylate, branched 127087-87-0

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive

harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Canadian Regulations

Canadian Domestic Substance List

1,2-Propanediol 57-55-6

Nonylphenol ethoxylate, branched 127087-87-0

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Deltamethrin 52918-63-5 1,2-Propanediol 57-55-6



SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes. The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 9: Physical and Chemical Properties.

Revision Date: 06/06/2015

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of W2E.