

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product identifier used on the label:

PCST S-100 Finish Remover Product Name:

Other means of identification:

Recommended use of the chemical and restrictions on use:

 $\underline{\hbox{Chemical manufacturer address and telephone number:}}\\$

Manufacturer Name: Perma-Chink Systems, Inc. Address: 1605 Prosser Road

Knoxville, TN 37914

Website: www.permachink.com 800-548-3554 General Phone Number: General Fax Number: 865-523-9475 865-524-7343 Customer Service Phone Number:

Emergency phone number:

Emergency Phone Number: CHEMTREC 1-800-424-9300

SECTION 2: HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with CFR 1910.1200(d)(f):

GHS Pictograms:

Signal Word: WARNING.

GHS Class: Eye Irritation. Category 2. Skin Irritation. Category 2.

Hazard Statements: H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

Precautionary Statements:

P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 - Specific treatment (see ... on this label).
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

 $\underline{\textbf{Hazards not otherwise classified that have been identified during the classification process:}$

Potential Health Effects:

Eve: May cause eye irritation. Skin: May cause skin irritation.

Inhalation: Prolonged or excessive inhalation may cause respiratory tract irritation.

Ingestion: May be harmful if swallowed. May cause vomiting.

Chronic Health Effects: Prolonged or repeated contact may cause skin irritation. Signs/Symptoms: Overexposure may cause headaches and dizziness. Target Organs: Eyes. Skin. Respiratory system. Digestive system.

Aggravation of Pre-Existing None generally recognized.

Conditions:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Chemical Name Ingredient Percent EC Num.

> PCSI S-100 Finish Remover Product Code: WB_Template Revision:: 11/02/2015

No Data 40 - 45 by weight Non hazardous

229-912-9 Sodium Metasilicate 6834-92-0 2 - 2.5 by weight

SECTION 4: FIRST AID MEASURES

Description of necessary measures:

Skin Contact:

Inhalation:

Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue Eye Contact:

rinsing. Get medical attention, if irritation or symptoms of overexposure persists.

Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists.

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Inaestion:

SECTION 5: FIRE FIGHTING MEASURES

Suitable and unsuitable extinguishing media:

Suitable Extinguishing Media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires

Special protective equipment and precautions for fire-fighters:

As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) Protective Equipment:

and full protective gear.

NFPA Ratings:

NFPA Health: 1 NFPA Flammability: NFPA Reactivity:



SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Personal Precautions: Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use

proper personal protective equipment as listed in Section 8.

Environmental precautions:

Environmental Precautions: Avoid runoff into storm sewers, ditches, and waterways.

Methods and materials for containment and cleaning up:

Contain spills with an inert absorbent material such as soil or sand. Prevent from spreading by Methods for containment:

covering, diking or other means. Provide ventilation.

Methods for cleanup: Clean up spills immediately observing precautions in the protective equipment section. Place into a

suitable container for disposal. Provide ventilation. After removal, flush spill area with soap and water

to remove trace residue.

SECTION 7: HANDLING and STORAGE

Precautions for safe handling:

Handling: Use with adequate ventilation. Avoid breathing vapor and contact with eyes, skin and clothing.

Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist. Hygiene Practices:

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated area away from sources of heat, combustible materials, and incompatible substances. Keep container tightly closed when not in use. Storage:

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE GUIDELINES:

Appropriate engineering controls:

 $\label{thm:control} \textbf{Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other appropriate engineering control such as process enclosures, local exhaust ventilation, or other appropriate engineering control such as process enclosures, local exhaust ventilation, or other exhaust ex$ **Engineering Controls:**

> PCSI S-100 Finish Remover Product Code: WB_Template Revision:: 11/02/2015

engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

Individual protection measures:

Eye/Face Protection: Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye

and face protection regulation, or the European standard EN 166.

 $Chemical-resistant\ gloves\ and\ chemical\ goggles,\ face-shield\ and\ synthetic\ apron\ or\ coveralls\ should\ be\ used\ to\ prevent\ contact\ with\ eyes,\ skin\ or\ clothing.$ Skin Protection Description:

A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be Respiratory Protection:

permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

Other Protective: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety

shower.

PPE Pictograms:



SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquid. Physical State Appearance: Color Odor: Citrus odor Odor Threshold: No Data Boiling Point: 212°F

Melting Point: Not applicable. Density: 8.6 - 8.8 lb./gal 1.04 - 1.06 Specific Gravity: Solubility: Miscible in water.

Vapor Density: No Data

20 mm Hg @ 68 °F Vapor Pressure:

Percent Volatile: 85 - 95 Evaporation Rate: No Data Evaporation Point: No Data 10 - 14 Molecular Formula: Mixture

Viscosity: 1700 - 2300 cP

Coefficient of Water/Oil

Distribution:

No Data

Flammability: No Data Flash Point: No Data

Lower Flammable/Explosive Limit: Not applicable. Upper Flammable/Explosive Limit: Not applicable.

VOC Content: No Data

SECTION 10: STABILITY and REACTIVITY

Chemical Stability:

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of hazardous reactions:

Hazardous Polymerization: Not reported.

Conditions To Avoid:

Conditions to Avoid: Heat, flames, incompatible materials, and freezing or temperatures below 32 deg. F.

Incompatible Materials:

Incompatible Materials: Oxidizing agents. Strong acids and alkalis.

SECTION 11: TOXICOLOGICAL INFORMATION

PCSI S-100 Finish Remover Product Code: WB_Template Revision:: 11/02/2015

Page 3 of 5

Sodium Metasilicate:

Oral - Rat LD50 - Lethal dose, 50 percent kill: $1153 \, \text{mg/kg}$ [Gastrointestinal - Ulceration or bleeding from stomach Gastrointestinal - Ulceration or bleeding from duodenum Gastrointestinal - Ulceration duo Ingestion:

bleeding from small intestine]
Oral - Rat LD50 - Lethal dose, 50 percent kill: >1000 mg/kg [Gastrointestinal - Other changes]

(RTECS)

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

Ecotoxicity: No ecotoxicity data was found for the product. No environmental information found for this product. Environmental Fate:

SECTION 13: DISPOSAL CONSIDERATIONS

Description of waste:

Waste Disposal: Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous

waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local

guidelines.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Not restricted as a dangerous good. DOT UN Number: Not restricted as a dangerous good.

IATA Shipping Name: Not restricted as a dangerous good. IATA UN Number: Not restricted as a dangerous good.

Canadian Shipping Name: Not restricted as a dangerous good. Canadian UN Number: Not restricted as a dangerous good.

IMDG UN Number: Not restricted as a dangerous good. Not restricted as a dangerous good. IMDG Shipping Name:

ADR UN Number: Not restricted as a dangerous good. ADR Shipping Name: Not restricted as a dangerous good.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product:

Sodium Metasilicate:

TSCA Inventory Status: Listed Canada DSL: Listed EC Number: 229-912-9

SECTION 16: ADDITIONAL INFORMATION

HMIS Ratings:

HMIS Health Hazard: 1 HMIS Fire Hazard: 1 HMIS Reactivity: HMIS Personal Protection:

Health Hazard	1
Fire Hazard	1
Reactivity	0
Personal Protection	х

SDS Creation Date: July 30, 2015 SDS Revision Date: November 02, 2015

SDS Format:

MSDS Author: Actio Corporation

The information contained herein is, to the best of Perma-Chink Systems, Inc. knowledge, accurate as Disclaimer:

of the data indicated. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume responsibility for the results of its use. This information is furnished on the condition that the person receiving it shall make his own determination as to the suitability of the material for his particular purpose and on the condition that

PCSI S-100 Finish Remover Revision:: 11/02/2015

Product Code: WB_Template

he assumes the risk of his use thereof.

 $\label{local_conversion} \textbf{Copyright} \circledS \ 1996\mbox{-}2015 \ \textbf{Actio} \ \textbf{Corporation}. \ \textbf{All} \ \textbf{Rights} \ \textbf{Reserved}.$

PCSI S-100 Finish Remover Product Code: WB_Template Revision:: 11/02/2015